



**Addendum to the  
2009 King County  
Surface Water Design Manual**

Effective date: January 1, 2010

## Introduction

This addendum to the 2009 King County Surface Water Design Manual (KCSWDM) applies to development and redevelopment proposals within the City of Kirkland. The KCSWDM has adopted requirements of the Clean Water Act, the Endangered Species Act, and the State Growth Management Act. This addendum includes minor revisions to the KCSWDM to address the differences between King County's and the City's organization and processes. No major substantive changes have been made to the KCSWDM in order to maintain equivalency in review requirements and level of protection provided by the manual. It is our intent to maintain equivalency with the 2005 Ecology Stormwater Management Manual for Western WA.

## Addendum Organization

The information presented in this addendum is organized as follows:

**I. Terminology:** At times King County and the City of Kirkland use different terminology to describe or to refer to equivalent subject matter. This section identifies these terms and the City of Kirkland's equivalent terminology.

**II. Key Revisions:** This section specifically identifies the minor revisions the City has made to the KCSWDM.

**III. Code Reference Tables:** King County code is referenced in many places throughout the KCSWDM. This section identifies these county code references and states the equivalent city code where applicable.

**IV. Mapping:** The City of Kirkland equivalents to the Flow Control Applications map, Landslide Hazard Drainage Areas map, and Sensitive/Critical Areas map are available online at:

[http://www.ci.kirkland.wa.us/depart/Information\\_Technology/GIS.htm](http://www.ci.kirkland.wa.us/depart/Information_Technology/GIS.htm)

**V. Reference Materials:** This section identifies which reference materials provided in the KCSWDM are applicable and which are not. It also identifies equivalent City of Kirkland reference materials available.

**Note:** Clarifications and interpretations to the KCSWDM or this addendum are documented and made available through City Regulatory Code and the Public Works Pre-Approved Plans.

## I. Terminology

At times King County and the City of Kirkland use different terminology to describe or to refer to equivalent subject matter. This section identifies these terms and the City of Kirkland's equivalent terminology.

- **Critical Drainage Area (CDA)** – refers to the City of Kirkland Sensitive Areas.
- **Department of Development and Environmental Services (DDES)** – all references to DDES conducting drainage reviews or determinations shall refer to City of Kirkland Public Works and Planning and Community Development Departments.
- **Department of Natural Resources and Parks (DNRP)** – references to DNRP shall refer to City of Kirkland Parks and Planning and Community Development Departments.
- **Director** – refers to the City of Kirkland Public Works Director.
- **King County** – refers to the City of Kirkland (COK).
- **King County Code (KCC)** – refer to the City of Kirkland Municipal and Zoning Codes (KMC and KZC). Check code reference table for equivalent code sections.
- **King County Designated/Identified Water Quality Problem** – This determination is made on a case-by-case basis in the City of Kirkland.
- **King County Road Standards** – refers to the City of Kirkland Public Works Pre-Approved Plans.
- **Sensitive Area Folio** – refer to City of Kirkland Sensitive Areas Map at:  
  
[http://www.ci.kirkland.wa.us/depart/Information\\_Technology/GIS.htm](http://www.ci.kirkland.wa.us/depart/Information_Technology/GIS.htm)
- **Water and Land Resources (WLR) Division** – refers to the City of Kirkland Surface Water Management Division.
- **Zoning Classifications: Where the KCSWDM references Agricultural (A) Zoning, Forest (F) Zoning, or Rural (R) Zoning** – these zoning classifications are intended for areas outside of the Urban Growth Boundary, therefore the City of Kirkland contains no equivalent zoning. Refer to city zoning maps to determine which zoning classifications apply to your project. The City of Kirkland Land Use Map can be found at:

[http://www.ci.kirkland.wa.us/depart/Information\\_Technology/GIS.htm](http://www.ci.kirkland.wa.us/depart/Information_Technology/GIS.htm)

## **II. Key Revisions**

This section includes minor revisions to the 2009 KCSWDM to address the differences between King County's and the City of Kirkland's organization and processes, as well as to ensure equivalency with the 2005 Ecology Stormwater Management Manual for Western WA.

### **Chapter 1: Drainage Review and Requirements**

Applies with the revisions stated below:

#### **1.1 Drainage Review**

Criteria for review levels are defined in the COK Public Works Pre-Approved Plans, Policy D-2. Drainage review levels used in the City of Kirkland are listed below:

- Small Project drainage review
- Targeted drainage review
- Full drainage review

#### **1.2 Core Requirements**

##### **1.2.2 Core Requirement #2: Offsite Analysis**

###### **1.2.2.1 Downstream Analysis**

Exclude the section titled Downstream Water Quality Problems Requiring Special Attention. Water quality problems in the City of Kirkland are addressed through educational programs and source control.

##### **1.2.3 Core Requirement #3: Flow Control**

Historic conditions will be used for pre-developed runoff modeling of all projects in Level 2 flow control areas. A City of Kirkland flow control map is located at:

[http://www.ci.kirkland.wa.us/depart/Information\\_Technology/GIS.htm](http://www.ci.kirkland.wa.us/depart/Information_Technology/GIS.htm)

Consistent with the 2005 Ecology Stormwater Management Manual for Western WA, the threshold for the Impervious Surface Exemption for Transportation Redevelopment Projects is:

- a) Less than 5,000ft<sup>2</sup> of new impervious surface will be added, AND
- b) Less than 35,000ft<sup>2</sup> of new pervious surface will be added, AND
- c) The total new impervious surface within the project limit is less than 50% of the existing impervious surface.

###### **1.2.3.1 Area-Specific Flow Control Facility Requirement**

The Impervious Surface Percentage Exemption stated on page 1-38 is void and does not apply to the City of Kirkland.

##### **1.2.5 Core Requirement #5: Erosion and Sediment Control**

###### **1.2.5.1 ESC Measures**

Amended Soil (BMP T5.13, 2005 Ecology Stormwater Management Manual for Western WA) is required for all landscaped areas on all project sites 1 acre or larger. Amended soil is recommended for all landscaped areas on project sites smaller than 1 acre.

### **1.2.5.2 ESC Performance and Compliance Provisions**

#### **B. Monitoring of Discharges**

For projects that clear 2,000ft<sup>2</sup> or greater, the City may require the ESC Supervisor to have a turbidity meter onsite and use it to monitor surface and stormwater discharges from the project site and into onsite wetlands, streams, or lakes whenever runoff occurs from onsite activities and during storm events.

### **1.2.6 Core Requirement #6: Maintenance and Operations**

Publicly maintained facilities will be maintained by the City of Kirkland.

An Operation and Maintenance Manual is required for all privately maintained stormwater detention and water quality facilities, and is submitted as part of the permit application. A copy of the Operation and Maintenance Manual shall be retained on site and shall be transferred with the property owner to the new owner. A log of maintenance activity indicating when cleaning occurred and where waste was disposed of shall also be kept by the owner and available for inspection by the City of Kirkland.

### **1.2.7 Core Requirement #7: Financial Guarantees and Liability**

This section is replaced by KMC 15.52.080, bonds and irrevocable license to enter.

### **1.2.8 Core Requirement #8: Water Quality**

#### **1.2.8.1 A. Basic WQ Treatment Areas**

Thresholds requiring Enhanced Basic Water Quality Treatment are:

- Industrial, commercial, and multi-family project sites 1 acre or larger.
- Road related project sites 1 acre or larger, with an AADT of 7,500 or greater.

Single family residential subdivisions will not be required to implement enhanced basic water quality treatment. The thresholds stated above are consistent with the 2005 Ecology Stormwater Management Manual for Western WA.

For projects less than 1 acre in size meeting the land use criteria for Enhanced Basic WQ Treatment, apply the enhanced treatment requirement unless it can be shown as not feasible.

For a rain garden to meet enhanced basic water quality treatment, it must be designed, using an approved continuous runoff model, to infiltrate 91% of the influent runoff (2005 Ecology Stormwater Management Manual for Western WA, Volume V, pg 3-8).

The City will accept all water quality treatment facility-types identified in the 2005 Ecology Stormwater Management Manual for Western WA, with the following additions and alterations:

- Emerging technologies will be considered on a case-by-case basis, provided the product has received a level of use designation from WA State Dept. of Ecology (see the following website):  
<http://www.ecy.wa.gov/programs/wq/stormwater/newtech/index.html>
- The COK encourages the use of stormwater low impact development techniques as appropriate.

#### **1.2.8.1 B. Sensitive Lake WQ Treatment Areas**

This section does not apply to the City of Kirkland.

#### **1.2.8.1 C. Sphagnum Bog WQ Treatment Areas**

This section does not apply to the City of Kirkland.

#### **1.3.2 Special Requirement #2: Flood Hazard Area Delineation**

Flood Hazard Area is any area adjacent to a Kirkland sensitive area, unless topography is such that the area will not flood.

#### **1.3.3 Special Requirement #3: Flood Protection Facilities**

This section does not apply to the City of Kirkland.

#### **1.3.4 Special Requirement #4: Source Controls**

Source Control requirements are replaced by Volume IV of the 2005 Ecology Stormwater Management Manual for Western WA.

#### **1.4 Adjustment Process**

Refer to adjustment process defined in COK Public Works Pre-Approved Plans, Policy D-11.

### **Chapter 2 Drainage Plan Submittal**

Applies with the revisions stated below:

#### **2.1 Plans Required for Drainage Review**

Refer to the COK Public Works Pre-Approved Plans, Policies G-7, D-2, and D-3.

#### **2.2 Plans Required with Initial Permit**

Refer to the COK Public Works Pre-Approved Plans, Policies G-7, D-2, and D-3.

#### **2.3 Drainage Review Plan Specifications**

##### **2.3.1.1 Technical Information Report**

An Operation and Maintenance Manual is required for all privately maintained stormwater detention and water quality facilities, and is submitted as part of the permit application.

##### **2.3.1.2 – Site Improvement Plan**

Refer to the COK Public Works Pre-Approved Plans, Policies G-7, D-2, and D-3.

##### **2.3.1.3 – ESC Plan Section**

Refer to the COK Public Works Pre-Approved Plans, Policies G-7, D-2, and D-3.

##### **2.3.1.4 – Stormwater Pollution Prevention and Spill (SWPPS) Plan**

Refer to the COK Public Works Pre-Approved Plans, Policies G-7, D-2, and D-3.

##### **2.3.1.5 – Landscape Management Plan**

Refer to the COK Public Works Pre-Approved Plans, Policies G-7, D-2, and D-3.

### **2.3.2 – Projects in Targeted Drainage Review (TDR)**

Refer to the COK Public Works Pre-Approved Plans, Policies G-7, D-2, and D-3.

### **2.4 Plans Required After Drainage Review (pg 2-35)**

Refer to the COK Public Works Pre-Approved Plans, policies G-7, D-2, and D-3.

## **Chapter 5 Flow Control Design**

Applies with the revisions stated below:

### **5.2 Flow Control BMP Requirements**

#### **5.2.1.4 Implementation Requirements for Individual Lot BMPs**

This section is replaced by KMC 15.52.080, bonds and irrevocable license to enter.

### **5.3 Detention Facilities**

Use details located in the COK Public Works Pre-Approved Plans, if available.

#### **5.3.4.1 Control Structures Design Criteria**

Minimum orifice diameter is 0.5 inches.

#### **5.3.5 Parking Lot Detention**

Parking lot detention is not allowed in the City of Kirkland.

## **Chapter 6 Water Quality Design**

Applies with the revisions stated below:

Use details located in the COK Public Works Pre-Approved Plans, if available.

## **Appendix B: Master Drainage Plan Objective, Criteria and Components, and Review Process**

This Appendix does not apply to projects in the City of Kirkland.

### III. Code Reference Tables

King County Code is referenced in many places throughout the KCSWDM. The following table identifies the county code references and states the equivalent City of Kirkland code where applicable (Kirkland Municipal Code is KMC and Kirkland Zoning Code is KZC). Policies are located in the Public Works (PW) Pre-Approved Plans.

<b>King County Code Reference</b>	<b>Subject of Reference</b>	<b>COK Code/Policy Equivalent</b>	<b>Comment</b>
KCC 2.98	Adoption procedures and Critical Drainage Areas	KZC Chapter 90	
Title 9	Surface Water Management	KMC 15.52	
KCC 9.04	Surface Water Run-off policy	KMC 15.52	
KCC 9.04.030	Drainage Review	PW Pre-Approved Plans	Policy D-2
KCC 9.04.050	Drainage Review-requirements	PW Pre-Approved Plans	Policy D-2
KCC 9.04.070	Engineering plans for the purposes of drainage review	KMC15.52.060 and PW Pre-Approved Plans	Policy D-2
KCC 9.04.090	Construction timing and final approval	KMC 15.52.060	
KCC 9.04.100	Liability Requirements	KMC 15.52.080	
KCC 9.04.115	Drainage Facilities accepted by King County	KMC 15.52.070	
KCC 9.04.120	Drainage Facilities accepted by King County	KMC 15.52.070	
KCC 9.12	Prohibited discharges in the water quality section	KMC 15.52.090	
KCC 9.12	Water Quality	KMC 15.52.090 – 15.52.110	
KCC 9.12	Water Quality: Stormwater Pollution Prevention Manual Adoption	KMC 15.52.100	
KCC 16.82	Erosion and Sediment Control, Clearing and Grading	KMC 15.52.060	
KCC 16.82.095(A)	ESC standards: seasonal limitation period	PW Pre-Approved Plans	Erosion/Sediment Control Plan Notes, item #9
KCC 16.82.100(F)	Grading standards: preservation of duff layer	KZC Chapter 95	
KCC 16.82.100(G)	Grading Standards: soil amendments	KZC Chapter 95	
KCC 16.82.150	Clearing standards in rural zone	Not applicable	COK does not contain rural zones
KCC 20.20	Land Use Review Procedures	KZC Title 23	
KCC 20.70.020	Critical Aquifer recharge area	Not applicable	No critical aquifer recharge areas in COK
KCC 21A	Critical Areas Requirements	KZC Title 23	Sensitive areas in Chapter 90
KCC 21A.14.180.D	On-site recreation space required	No equivalent City code exists	On-site recreation space is not required
KCC 21A.24	Critical Areas Code	KZC Chapter 90	
KCC 21A.38	Property specific development	KZC Chapter 90	



	standards or special district overlays		
KCC 23.20	Code compliance: citations	KMC 15.52.140	
KCC 23.24	Code compliance: notice and orders	KMC 15.52.140	
KCC 23.28	Code compliance: stop work orders	KMC 15.52.140	
KCC 23.40	Code compliance: liens references on declaration of covenants form	KMC Title 15	

#### **IV. Mapping**

Below is a list of City of Kirkland maps to be used during drainage design. The maps can be viewed on-line, purchased on a CD, or viewed at the Public Works counter at City Hall. The maps are available on the following website:

[http://www.ci.kirkland.wa.us/depart/Information\\_Technology/GIS.htm](http://www.ci.kirkland.wa.us/depart/Information_Technology/GIS.htm)

1. Base Map
2. Flow Control Map
3. Sensitive Areas Map
4. Land Use Map

## V. Reference Materials

This section identifies which reference materials provided in the 2009 KCSWDM are applicable and which are not. Reference materials that have been struck through (i.e., ~~struck through~~) are not applicable to projects in the City of Kirkland.

1. ~~KCC 9.04—Surface Water Runoff Policy~~
2. ~~Adopted Critical Drainage Areas~~
3. ~~Other Adopted Area Specific Drainage Requirements~~
  - A. ~~RA Zone Clearing Restrictions~~
4. ~~Other Drainage Related Regulations and Guidelines~~
  - A. ~~Grading Code Soil Amendment Standard (required on project sites 1 acre or larger)~~
  - B. ~~Clearing & Grading Seasonal Limitations~~
  - C. ~~Landscape Management Plan Guidelines~~
  - D. ~~Shared Facility Maintenance Responsibility Guidance~~
5. ~~Wetland Hydrology Protection Guidelines~~
6. ~~Hydrologic/Hydraulic Design Methods~~
  - A. ~~EPA Infiltration Rate Test~~
  - B. ~~Pond Geometry Equations~~
7. ~~Engineering Plan Support~~
  - A. ~~King County Standard Map Symbols~~
  - B. ~~Standard Plan Notes and Example Construction Sequence~~
  - C. ~~Stormfilter Access and Cartridge Configuration~~
8. ~~Forms and Worksheets~~
  - A. ~~Technical Information Report (TIR) Worksheet~~
  - B. ~~Offsite Analysis Drainage System Table~~
  - C. ~~Water Quality Facility Sizing Worksheets~~
  - D. ~~Flow Control and Water Quality Facility Summary Sheet and Sketch~~
  - E. ~~CSWPPP Worksheet Forms~~
  - F. ~~Adjustment Application Form and Process Guidelines~~
  - G. ~~Dedication and Indemnification Clause—Final Recording~~
  - H. ~~Bond Quantities Worksheet~~
  - I. ~~Maintenance and Defect Agreement~~
  - J. ~~Drainage Facility Covenant~~
  - K. ~~Drainage Release Covenant~~
  - L. ~~Drainage Easement~~
  - M. ~~Flow Control BMP Covenant~~
  - N. ~~Impervious Surface Limit Covenant~~
  - O. ~~Clearing Limit Covenant~~
  - P. ~~River Protection Easement~~
  - Q. ~~Leachable Metals Covenant~~
9. ~~Interim Changes to Requirements~~
  - A. ~~Blanket Adjustments~~
  - B. ~~Administrative Changes~~
10. ~~King County Identified Water Quality Problems~~